WSG-S1.5 • Order form

WITTUR Electric Drives GmbH

Please send this order form to **orders.wed@wittur.com**

General data

Contact name: ..... e-Mail: .....


Project: ..... Client company: .....

Quantity: ..... *(With specifications given below.)*

Delivery date: ..... *(Delivery of **Standard** configurations in 4 weeks exw.)*

Order number: ..... Remarks: .....

Delivery address: .....



Motor options


Suspension / Traction sheave:
☐ 2:1 ☐ 1:1
☐ 240 mm = Standard ☐ 160 mm ☐ 210 mm ☐ 320 mm ☐ 400 mm

Rated speed: *(No standard needed.)*
☐ 0.5 ms ☐ 0.63 ms ☐ 1,0 ms ☐ 1.6 ms ☐ 2.0 ms

Painting:
☐ **Standard** = RAL 5018 ☐ .....


Electr. connection:

☐ **Standard** = Terminal box
(2 overexcitation rectifiers inside the terminal box)




☐ 2 overexcitation rectifiers will be delivered separately

☐ Connectors
(2 overexcitation rectifiers will be delivered separately.)



☐ Cable (5 m)
(2 overexcitation rectifiers will be delivered separately.)



☐ other cable length
..... m

Rope guards:

☐ **Standard**



☐ Multi roof



(only for DT = 240 mm)

Encoder system

☐ **Standard** = Sendix 8.5873 - Biss-C - 10 m-cable with open wire ends
☐ ECN 413 - **EnDat** ☐ ECN 413 - **SSI** ☐ ERN 487

(Order with ECN 413 EnDat is not influencing delivery time!)

☐ Electronic Nameplate (ENP) for CT unidrive SP and ECN 413-EnDat

☐ ... *Please mark the relevant boxes.*

WITTUR Electric Drives GmbH
Germany
Offenburger Str. 3
D-01189 Dresden

e-mail: orders.wed@wittur.com
http:// www.wittur-edrives.de


WITTUR Electric Drives GmbH

WSG-S1_order-form_EN / DS.8.003681 / 08.08.2017

Traction sheave - Groove profile

Please send this order form to
orders.wed@wittur.com


☒ Standard ☐



X5X6X7
2HA

Keilrille 55/ V-groove 55
8x6.5 / K 55°HRC53 / 11 // 92

☐



X5X6X7
17A

Rundrille / groove
8x8.1 /R / 12 // 130

☐ another type

☐ ... *Please mark the relevant boxes.*

WITTUR Electric Drives GmbH
Germany
Offenburger Str. 3
D-01189 Dresden

e-mail: orders.wed@wittur.com
http:// www.wittur-edrives.de

WITTUR Electric Drives GmbH


Accessories

Please send this order form to **orders.wed@wittur.com**

BRAKE MANUAL RELEASE


☒ without = **Standard**

☐ **remotely controlled**
(lever support and 3 m Bowden cable included)



☐ unmounted, separately delivered

☐ **for machine room**



MOTOR CABLE SET

☒ without = **Standard**


☐ with

Motor cable length: ☐ 5 m ☐ 7 m ☐ 10 m

Brake cable length: ☐ 5 m ☐ 7 m ☐ 10 m ☐ 15 m ☐ 20 m ☐ 30 m

Motor cable set type ☐ Connector

☐ halogeen free



Motor cable standard: 503 120 A21-xx
halogen-free: 508 828 A21-xx


Pin	Wire
1 (U1)	No.1 / U1
4 (V1)	No.2 / V1
3 (W1)	No.3 / W1
PE	green/yellow
C (T1)	No.5 / BR1
D (T2)	No.6 / BR2

Brake cable standard: 503 121 011-xx
halogen-free: 508 829 011-xx

Pin	Wire
1	No.1
2	No.2
3	No.3
PE	green/yellow
A	No.4
B	No.5
C	No.6
D	No.7
E	No.8

☐ Terminal box

☐ halogeen free



Motor cable standard: 503 458 A21-xx
halogen-free: 514 073 A21-xx

Brake cable set standard: 503 459 011-xx
halogen-free: 514 074 011-xx

☐ ... *Please mark the relevant boxes.*

WITTUR Electric Drives GmbH
Germany
Offenburger Str. 3
D-01189 Dresden

e-mail: orders.wed@wittur.com
http:// www.wittur-edrives.de

Please send this order form to
orders.wed@wittur.com

MEASUREMENT SYSTEM CONNECTOR

(for Sendix 8.5873)

☐ without = **Standard** open wire ends 

☐ for inverter D-Pack 

☐ for inverter KEB F 5 

MEASUREMENT CABLE


(for ECN 413 and ERN 487)

☐ without = **Standard**

☐ with- Cable length:

- ☐ 5 m
- ☐ 7 m
- ☐ 10 m
- ☐ 15 m
- ☐ 20 m

xx... cable length [m]

	Measurement cable type	Inverter type	recommended encoder system	recommended measurement system cable
☐		E-Pack Arkel ARCODE	ECN 413 (EnDat or SSI)	503 325 021 xx
☐		D-Pack Arkel ADrive CT unidrive SP	ECN 413 (EnDat or SSI)	502 452 021 xx
☐		Fuji Frenic	ECN 413 (EnDat)	502 679 022 xx
☐		RST Elektronik FRC	ECN 413 (EnDat)	508 752 022 xx
☐		GEFRAN (SIEI) AVY-L-M	ERN 487	503 499 022 xx
☐		Vacon NXP	ECN 413 (EnDat)	503 289 021 xx
☐		Yaskawa/ Omron L7 Telemecanique/ Schneider Altivar 71	ECN 413 (EnDat)	503 715 022 xx
☐		Ziehl-Abegg 2SY/3BF	ECN 413 (EnDat or SSI)	508 749 022 xx

☐ ... *Please mark the relevant boxes.*

WITTUR Electric Drives GmbH
Germany
Offenburger Str. 3
D-01189 Dresden

e-mail: orders.wed@wittur.com
http:// www.wittur-edrives.de